Ku-Band 3.0Meter/119Inch/300Cm 24Segments/Pipe



J a m s

Pull Up & Tight


Pull Up & Tight

Thin Washer Don't Tight Too Much
Try to Match Joint with Ring

All Joint Should Be Equal Space
LNB-Side


Wrong Fitting Don't Tight Too Much


Wrong Fitting Don't Tight Too Much


Mesh Start Point
Mesh Start Point

Mesh Start Point


Use Washer This Side
Tight Bolt Medium


Lnb Pipe Dish Side
Use Washer Here
Tight Bolt Medium


Focus Measurement Point
LNB-Side

Some pictures are different from product, It's Just for reference.

Antenna Size	300Cm Ku-Band Dish antenna
Modal	Ku-10/24D
Antenna Type	Parabolic
Feed	Prime Focus
F/D Ratio	.67
Focal Length	79.73” Inch
Reflector Sheet	Aluminum Punch Sheet
Total Segments/Ribs	24
Segments Material	Aluminum Alloy
Aluminum Grade	6063 T6
Stability	AZ 360 Degree EL 0 to 90 Degrees
Mount	AZ/EL
Wind load operational	75 KMPH
Survival Wind Speed	100 KMPH
Polarization	Liner & Circular
Pointing Accuracy	Better Than + / – 0.2 Deg.
Operating Frequency	3.4 GHz. – 13 GHz.
Pointing	Manual
Gain at 12 GHz	48.59 dB
Approximate Weight.	45 Kgs