

OBSTACLE AVOIDANCE TRIMMER

Simple operation and high efficiency
complete specifications
Good manufacturing technology



PRODUCT PARAMETERS

In harsh working conditions, if there is a logging machine, sorting is convenient and efficient. It doesn't have to move much to adjust its position. Work more efficiently.



Technical parameter : ZJ-60

Weight	1380±20 kg	Feed motor displacement	2X468+2X332CC
Length	1500±50mm	Feed rate	0~6±1M/s

Width	1000-1500mm
Max. felling diameter	600±10mm
Chain speed	50±5 m/s
Clamping minimum diameter	40±5mm
Maximum pruning diameter	430±10mm
Feed wheel	2rollers
Auxiliary feeding wheel	1rollers

Feed traction	37±5 KN
Lopping knife	4+1+1
Working flow	300±10 L/min
Working pressure	30±2 Mpa

Technical parameter : ZJ-45

Weight	700 kg
Length	1260mm
Width	1160mm
Power consumption	40-60kw
work pressure	24Mpa
Maximum felling diameter	450mm
Saw board length	18 ' (1 ' =0.3175cm)
saw blade pitch	0.404 " (1 " =2.54 cm)

Chain saw speed	40m/s
Feeding system	3 feeding wheels
Maximum opening feeding wheel	410mm
Feeding force	17KN
Feeding speed	4m/s
Quantity of defoliating knives	4+1
Maximum opening of front knife	490mm
Maximum opening of rear knife	450mm

PRODUCT DISPLAY**01**

Front display

**02**

Left side display

**03**

Right side display

**04**

Show behind

